Ref #	Hits	Search Query	DBs	Default Operat or	Plura Is	Time Stamp
L1	111650	((382/125,128,129,130, 131,132,133,134,169,190, 198,237) or (348/6,46,90, 92,98.4,98.9,101,140)). CCLS. or (("600") or ("128")).CLAS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/06/21 08:20
L2	51560	1 and (calculat\$4 or comput\$4 or measur\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:34
1.3	33521	2 and (photo\$4 or photograph\$4 or featur\$4 or pictur\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:35
L4	22558	3 and compar\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:35

L5	13264	4 and (conversion or convert\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:29
L6	4501	5 and (imag\$4 near4 process\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:23
L7	985	6 and (gray near3 scal\$3 or grey near3 scal\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:29
L8	936	7 and select\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:24
L9	4 69	8 and extract\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:37

L10	368	9 and parameter\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:38
L11	295	10 and algorithm\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:27
L12	19	11 and (amount\$3 near3 valu\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:36
L13	283	(x-ray near4 sens\$4) and judg\$6	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:29
L14	205	13 and (conversion or convert\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:29

L15	21	14 and (gray near3 scal\$3 or grey near3 scal\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:33
L16	21	15 and (photo\$4 or photograph\$4 or featur\$4 or pictur\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:30
L17	15	16 and (2D or two-dimension\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	,ON	2005/06/21 08:30
L18	15	17 and (processor or computer or CPU or PC)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:33
L19	15	18 and (memor\$4 or buffer or storag\$4 or stor\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:34

L20	15	19 and (display\$4 or monitor\$4 or screen44 or output\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:34
L21	6158	((gray near3 scal\$3 or grey near3 scal\$4) same (conversion or convert\$4))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:33
L22	4617	21 and (processor or computer or CPU or PC)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:33
L23	4201	22 and (memor\$4 or buffer or storag\$4 or stor\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:34
L24	4078	23 and (display\$4 or monitor\$4 or screen44 or output\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:34

L25	3936	24 and (calculat\$4 or comput\$4 or measur\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:34
L26	3395	25 and (photo\$4 or photograph\$4 or featur\$4 or pictur\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:35
L27	2855	26 and compar\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:35
L28	208	27 and (amount\$3 near3 valu\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:36
L29	1068	27 and extract\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/21 08:37

L30	708	29 and parameter\$4	US-PGPU B; USPAT;	OR	ON	2005/06/21 08:38
		,	USOCR;			
			EPO;			
		·	JPO;			
			DERWEN			:
			T;			
			IBM_TDB			



Rome | Legin | Legish | Access information | Ali

Welcome United States Patent and Trademark Office

BROWSE

SEARCH IEEE XPLORE GUIDE

.,					
	'((imag* <and> proce matched 8 of 117191</and>		versi	on <and> parameter* <and> calculat*)<*</and></and>	ij
			oage,	sorted by Relevance in Descending order.	
» <u>View Sessio</u>	n History				
New Search		Modify	Sea	reh	
» Key		((imag*	' <and< td=""><td>> process* <and> conversion <and> parameter* <and> calculat*)<in>me</in></and></and></and></td><td></td></and<>	> process* <and> conversion <and> parameter* <and> calculat*)<in>me</in></and></and></and>	
ieee inl	IEEE Journal or Magazine	По	heck	to search only within this results set	
eee jnl	IEE Journal or Magazine	Display	y For	mat: © Citation C Citation & Abstract	
EEE CNF	IEEE Conference Proceeding	Select	۸	rticle Internation	
IEE CNF	IEE Conference Proceeding	Gatect		Cacae (Actionalmon)	
HEEE STD	IEEE Standard		1.	Experimental model of a combined optical processing correlation system Klima, M.; Dvorak, P.; Rott, J.; McKenna-Lawlor, S.; Gleeson, D.; Keating, J.; Security Technology, 1995. Proceedings. Institute of Electrical and Electronics Engineers 29th Annual 1995 Conference on 18-20 Oct. 1995 Page(s):388 - 390	lı
				AbstractPlus Full Text: PDF(220 KB) 接着能 CNF	
			2.	Face Image analysis and synthesis for human-computer interaction Morishima, S.; Signal Processing Proceedings, 2000. WCCC-ICSP 2000. 5th International Conference on Volume 2, 21-25 Aug. 2000 Page(s):1213 - 1220 vol.2	
				Provided to 11 am Text. Per (300 No)	
			3.	Realtime face analysis and synthesis using neural network Morishima, S.; Neural Networks for Signal Processing X, 2000. Proceedings of the 2000 IEEE Signal Processing Society W Volume 1, 11-13 Dec. 2000 Page(s):13 - 22 vol.1	/ c
				AbstractPlus Full Text: PDF(668 KB) IEEE CNF	
		C	4.	Face analysis and synthesis Morishima, S.; Signal Processing Magazine, IEEE Volume 18, Issue 3, May 2001 Page(s):26 - 34	

5. Efficient interconversion algorithm for PARCOR and LSP parameters

AbstractPlus | References | Full Text: PDF(724 KB) IEEE JNL

Chan, C.F.;

Speech, Image Processing and Neural Networks, 1994. Proceedings, ISSIPNN '94., 1994 International Symp 13-16 April 1994 Page(s):603 - 606 vol.2

AbstractPlus | Full Text: PDF(224 KB) IEEE CNF

6. An efficient architecture of ultrasonic scan conversion for implementing the cubic convolution interpolation

Dah-Chung Chang; Wen-Rong Wu; Jianbn-Hwa Jeng;

Nuclear Science Symposium, 1997. IEEE

Volume 2, 9-15 Nov. 1997 Page(s):1546 - 1550 vol.2

AbstractPlus | Full Text: PDF(768 KB) IEEE CNF

7.	An Hough based recognition system for electronic schematics conversion to CAD format Johnson, R.B.; Bird, B.M.; Electrotechnical Conference, 1991. Proceedings., 6th Mediterranean 22-24 May 1991 Page(s):1268 - 1271 vol.2
	AbstractPlus Full Text: PDF(172 KB) NEXEL CANF
8.	Improved determination of the best fitting sine wave in ADC testing Kollar, I.; Blair, J.J.; Instrumentation and Measurement Technology Conference, 2004. IMTC 04. Proceedings of the 21st IEEE Volume 2, 18-20 May 2004 Page(s):829 - 834 Vol.2 AbstractPlus Full Text: PDE(492 KB) IEEEE CNF

Minspec

& Copyright 2005 (S



Home | Login | Logout | Access Information | Ale

Welcome United States Patent and Trademark Office

Results for "((Imag* <and> process* <and> parameter* <and> gray* <and> calculat*)<In>metadata)"
Your search matched 22 of 1150196 documents.
A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

view Session	on History							
New Search	1	Modify Se						
» Key		((imag* <a< td=""><td>nd> process* <and> parameter* <and> gray* <and> calculat*)<in>metadat </in></and></and></and></td></a<>	nd> process* <and> parameter* <and> gray* <and> calculat*)<in>metadat </in></and></and></and>					
IEEE JNL	IEEE Journal or Magazine	Check to search only within this results set						
IEE JNL	IEE Journal or Magazine	Display Fo	ormat:					
IEEE CNF	IEEE Conference Proceeding	Select	Article Information					
IEE CNF	IEE Conference Proceeding	- 1	. Medical image segmentation using a tree model					
IEEE STD	IEEE Standard		Grau, V.; Alcaniz, M.; Monserrat, C.; Juan, M.C.; Gil, J.A.; Engineering in Medicine and Biology Society, 2001. Proceedings of the 23rd Annual International Conference Volume 3, 25-28 Oct. 2001 Page(s):2626 - 2629 vol.3					
			AbstractPlus Full Text: PDF(490 KB) IEEE CNF					
		2	. Automatic segmentation of ultrasonic image Wong, S.H.; Chan, K.L.; Fung, P.W.; TENCON '93. Proceedings. Computer, Communication, Control and Power Engineering, 1993 IEEE Region 1 Issue 0, 19-21 Oct. 1993 Page(s):910 - 913 vol.2					
		•	AbstractPlus Full Text: PDF(212 KB) IEEE CNF					
		☐ ³	. Text data extraction from microfilm images of punched cards Kumar, S.U.; Kasturi, R.; Pattern Recognition, 1992. Vol.II. Conference B: Pattern Recognition Methodology and Systems, Proceeding: International Conference on 30 Aug3 Sept. 1992 Page(s):230 - 233					
			AbstractPlus Full Text: PDF(376 KB) IEEE CNF					
		□ 4	. Multilevel computed hemodynamic parameter maps from dynamic perfusion MRI Zavaljevski, A.; Holland, S.K.; Dhawan, A.P.; Dunn, R.S.; Ball, W.S., Jr; Instrumentation and Measurement, IEEE Transactions on Volume 48, Issue 3, June 1999 Page(s):711 - 720					
			AbstractPius References Full Text: PDF(1200 KB) IEEE JNL					
		5.	Spatially invariant image sequences Miller, J.W.V.; Farison, J.B.; Shin, Y.; Image Processing, IEEE Transactions on Volume 1, Issue 2, April 1992 Page(s):148 - 161					
			AbstractPlus Full Text: PDF(1552 KB) IEEE JNL					
		<u> </u>	Tissue-type discrimination in magnetic resonance images Amamoto, D.Y.; Kasturi, R.; Mamourian, A.; Pattern Recognition, 1990. Proceedings., 10th International Conference on Volume i, 16-21 June 1990 Page(s):603 - 607 vol.1					
			AbstractPlus Full Text: PDF(704 KB) IEEE CNF					

h

7.	Adaptive speckle reduction process enhancing structure and texture of B-mode image Sasaki, A.; Hayashi, T.; Azuma, T.; Kawabata, K.; Osada, A.; Mitake, T.; Nishimura, T.; Umemura, S.; Ultrasonics, 2003 IEEE Symposium on Volume 2, 5-8 Oct. 2003 Page(s):1545 - 1548 Vol.2
	AbstractPlus Full Text: PDF(365 KB) IEEE CNF
8.	Explicit mathematical results for the representation and filtering of spatially-invariant image sequence Farison, J.B.; Shin, YI.; Miller, J.W.V.; Systems Engineering, 1991., IEEE International Conference on 1-3 Aug. 1991 Page(s):147 - 153
	AbstractPlus Full Text: PDF(492 KB) IEEE CNF
9.	Aspects of the statistical texture analysis of medical ultrasound images Chan, K.L.; McCarty, K.; Ultrasound Instrumentation, IEE Colloquium on 10 May 1990 Page(s):3/1 - 3/3
	AbstractPlus Full Text: PDF(136 KB) IEE CNF
10.	A segmentation algorithm of 3D ultrasonic data based on tissue characterization Boukerroui, D.; Basset, O.; Baskurt, A.; Gorce, J.M.; Friboulet, D.; Gimenez, G.; Ultrasonics Symposium, 1998. Proceedings., 1998 IEEE Volume 2, 5-8 Oct. 1998 Page(s):1349 - 1352 vol.2
	AbstractPlus Full Text: PDF(464 KB) IEEE CNF
11.	Threshold estimation for region segmentation on MR Image of brain having the partial volume artifact Yun-Chang Sung; Ki-Sun Han; Chang-Jun Song; Seung-Moo Noh; Jong-Won Park; Signal Processing Proceedings, 2000. WCCC-ICSP 2000. 5th International Conference on Volume 2, 21-25 Aug. 2000 Page(s):1000 - 1009 vol.2
	AbstractPlus Full Text: PDF (760 KB) IEEE CNF
12.	Segmentation of magnetic resonance images using fuzzy Markov random fields Ruan, S.; Moretti, B.; Fadili, J.; Bloyet, D.; Image Processing, 2001. Proceedings. 2001 International Conference on Volume 3, 7-10 Oct. 2001 Page(s):1051 - 1054 vol.3
	AbstractPlus Full Text: PDF (344 KB) IEEE CNF
13.	A multiresolution hierarchical approach to image segmentation based on intensity extrema Lifshitz, L.M.; Pizer, S.M.; Pattern Analysis and Machine Intelligence, IEEE Transactions on Volume 12, Issue 6, June 1990 Page(s):529 - 540
	AbstractPlus Full Text: PDF(1120 KB) IEEE JNL
14.	A novel algorithm for computer-assisted measurement of cervical length from transvaginal ultrasound Min Wu; Fraser, R.F., II; Chang Wen Chen; Information Technology in Biomedicine, IEEE Transactions on Volume 8, Issue 3, Sept. 2004 Page(s):333 - 342
	AbstractPlus References Full Text: PDF(3584 KB) IEEE JNL
15.	Objective assessment of 3-D medical image registration results using statistical confidence intervals Hong-Shu Wang; Dagan Feng; Sung-Cheng Huang; Nuclear Science Symposium Conference Record, 2000 IEEE Volume 3, 15-20 Oct. 2000 Page(s):18/92 - 18/94 vol.3
	AbstractPlus Full Text: PDF(328 KB) IEEE CNF
16.	Cerebral magnetic resonance image segmentation using fuzzy Markov Random Fields Su Ruan; Bloyet, D.; Revenu, M.; Weibei Dou; Qingming Liao; Biomedical Imaging, 2002. Proceedings. 2002 IEEE International Symposium on

h

7-10 July 2002 Page(s):237 - 240 AbstractPlus | Full Text: PDF(402 KB) | IEEE CNF 17. Elastic model-based segmentation of 3-D neuroradiological data sets Kelemen, A.; Szekely, G.; Gerig, G.; Medical Imaging, IEEE Transactions on Volume 18, Issue 10, Oct. 1999 Page(s):828 - 839 AbstractPlus | References | Full Text: PDF(616 KB) | IEEE JNL 18. Evaluation of motion estimation procedure for low-frame-rate aerial images Rose, K.; Circuits and Systems, 1988., IEEE International Symposium on 7-9 June 1988 Page(s):2309 - 2312 vol.3 AbstractPlus | Full Text: PDF(344 KB) | IEEE CNF 19. General layered neural network for stereo disparity detection Maeda, E.; Neural Networks, 1990., 1990 IJCNN International Joint Conference on 17-21 June 1990 Page(s):487 - 490 vol.1 AbstractPlus | Full Text: PDF(328 KB) IEEE CNF 20. Comparison of real and computer-simulated clustered microcalcifications on digital mammograms. R Lado, M.J.; Mendez, A.J.; Tahoces, P.G.; Souto, M.; Correa, J.; Vidal, J.J.; Image Processing, 1996. Proceedings., International Conference on Volume 1, 16-19 Sept. 1996 Page(s):355 - 358 vol.1 AbstractPlus | Full Text: PDF(468 KB) | IEEE CNF 21. Coding techniques of image data in spatial domain Desoky, A.; Bayat, N.; Southeastcon '88., IEEE Conference Proceedings 11-13 April 1988 Page(s):216 - 219 AbstractPlus | Full Text: PDF(332 KB) IEEE CNF 22. A new 2-D spectrum estimate using multichannel AR approach of 2-D fast RLS algorithms Alata, O.; Baylou, P.; Najim, M.; Image Processing, 1997. Proceedings., International Conference on Volume 2, 26-29 Oct. 1997 Page(s):442 - 445 vol.2 AbstractPlus | Full Text: PDF(452 KB) IEEE CNF

Indexed by Inspec

Help Contact Us Privac

© Copyright 2005 IE



PALM INTRANET

Day: Tuesday Date: 4/19/2005

Time: 16:37:59

Inventor Name Search Result

Your Search was:

Last Name = SHINBATA First Name = HIROYUKI

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>09152873</u>	6594380	150	09/14/1998	IMAGE DISCRIMINATION APPARATUS AND IMAGE DISCRIMINATION METHOD	SHINBATA, HIROYUKI
<u>09154805</u>	Not Issued	095	09/17/1998	IMAGE DISCRIMINATION APPARATUS AND IMAGE DISCRIMINATION METHOD	SHINBATA, HIROYUKI
<u>09287406</u>	6853740	150	04/06/1999	IMAGE PROCESSING METHOD APPARATUS AND STORAGE MEDIUM FOR RECOGNITION OF IRRADIATION AREA	SHINBATA, HIROYUKI
09396740	Not Issued	071	09/15/1999	IMAGE PROCESSING APPARATUS, IMAGE PROCESSING METHOD, AND RECORDING MEDIUM	SHINBATA, HIROYUKI
09405175	6850634	150	09/24/1999	IMAGE PROCESSING APPARATUS, METHOD, AND STORAGE MEDIUM FOR PROCESSING A RADATION IMAGE	SHINBATA, HIROYUKI
<u>09405176</u>	Not Issued	061		IMAGE PROCESSING METHOD AND APPARATUS AND RECORDING MEDIUM	SHINBATA, HIROYUKI
09526540	Not Issued	095	03/16/2000	IMAGE PROCESSING APPARATUS, METHOD AND STORAGE MEDIUM	SHINBATA, HIROYUKI
09557316	<u>6678400</u>	150	04/25/2000	IMAGE PROCESSING APPARATUS, METHOD AND MEMORY MEDIUM	SHINBATA, HIROYUKI
09835329	Not Issued	041		IMAGE PROCESSING SYSTEM, IMAGE PROCESSING APPARATUS, AND IMAGE PROCESSING METHOD	SHINBATA, HIROYUKI

09873340	Not Issued	071	06/05/2001	IMAGE PROCESSING METHOD, APPARATUS AND PROGRAM	SHINBATA, HIROYUKI
09948660	Not Issued	071	09/10/2001	IMAGE PROCESSING APPARATUS, IMAGE PROCESSING METHOD, PROGRAM FOR IMPLEMENTING SAID METHOD, AND STORAGE MEDIUM THEREFOR	SHINBATA, HIROYUKI
10068940	Not Issued	030	02/11/2002	IMAGE PROCESSING APPARATUS, IMAGE PROCESSING SYSTEM, IMAGE PROCESSING METHOD AND STORAGE MEDIUM	SHINBATA, HIROYUKI
<u>10106101</u>	Not Issued	030	03/27/2002	IMAGE PROCESSING APPARATUS, IMAGE PROCESSING METHOD, STORAGE MEDIUM, AND PROGRAM	SHINBATA, HIROYUKI
10166621	Not Issued	030	06/12/2002	IMAGE PROCESSING APPARATUS, IMAGE PROCESSING METHOD, STORAGE MEDIUM, AND PROGRAM	SHINBATA, HIROYUKI
10166657	Not Issued	030	06/12/2002	IMAGE PROCESSING APPARATUS, IMAGE PROCESSING METHOD, STORAGE MEDIUM, AND PROGRAM	SHINBATA, HIROYUKI
10167700	6813335	150	06/13/2002	IMAGE PROCESSING APPARATUS, IMAGE PROCESSING SYSTEM, IMAGE PROCESSING METHOD, PROGRAM, AND STORAGE MEDIUM	SHINBATA, HIROYUKI
10428751	Not Issued	030	05/05/2003	GRADATION CONVERSION PROCESSING	SHINBATA, HIROYUKI
10649631	Not Issued	041	08/28/2003	IMAGE PROCESSING APPARATUS, METHOD AND MEMORY MEDIUM	SHINBATA, HIROYUKI
10705269	Not Issued	030		IMAGE PROCESSING APPARATUS AND METHOD	SHINBATA, HIROYUKI
10712554	Not Issued	030	fi i	IMAGE PROCESSING APPARATUS, IMAGE PROCESSING METHOD,	SHINBATA, HIROYUKI

 $h \quad e \quad eb \quad cg \ b \ e \qquad \qquad f \quad \quad e \qquad \qquad h \ b$

I , ,		11	11.	u	
				STORAGE MEDIUM AND PROGRAM	
10737133	Not Issued	030	12/15/2003	IMAGE PROCESSING APPARATUS, IMAGE PROCESSING METHOD, IMAGE PROCESSING PROGRAM, AND STORAGE MEDIUM	SHINBATA, HIROYUKI
10830169	Not Issued	030	04/22/2004	DIAGNOSIS SUPPORT APPARATUS AND IMAGE PROCESSING METHOD	SHINBATA, HIROYUKI
10835606	Not Issued	030	04/28/2004	IMAGE PROCESSING METHOD, IMAGE PROCESSING APPARATUS, PROGRAM, AND COMPUTER STORAGE MEDIUM	SHINBATA, HIROYUKI
<u>10838996</u>	Not Issued	030		MEDICAL IMAGE FORMING METHOD AND APPARATUS	SHINBATA, HIROYUKI
10857855	Not Issued	030	06/02/2004	IMAGE PROCESSING APPARATUS, METHOD AND STORAGE MEDIUM	SHINBATA, HIROYUKI
10912129	Not Issued	020	08/06/2004	IMAGE PROCESSING APPARATUS, IMAGE PROCESSING METHOD, AND RECORDING MEDIUM	SHINBATA, HIROYUKI
10914188	Not Issued	030	08/10/2004	IMAGE PROCESSING APPARATUS AND METHOD AND RECORDING MEDIUM	SHINBATA, HIROYUKI
10952221	Not Issued	020	09/28/2004	IMAGE DISCRIMINATION APPARATUS AND IMAGE DISCRIMINATION METHOD	SHINBATA, HIROYUKI
10970340	Not Issued	020	10/21/2004	IMAGE PROCESSING APPARATUS, IMAGE PROCESSING METHOD, PROGRAM, AND COMPUTER- READABLE MEDIUM	SHINBATA, HIROYUKI
10995153	Not Issued	020		IMAGE PROCESSING METHOD APPARATUS AND STORAGE MEDIUM FOR RECOGNITION OF IRRADIATION AREA	SHINBATA, HIROYUKI

Inventor Search Completed: No Records to Display.

Search Another: Invento	Last Name	First Name	
Scaren Another. Invento	shinbata	hiroyuki	Search